SIMTRUM

Unparalleled sensing in a compact package.

Weight - 357 grams

With flexible set-up options, Altum integrates with any drone that can carry it.

Power - 5.5/7.0/10W (standby, average, peak)

Altum has a large voltage range, making complex integrations simpler and more reliable.

DLS 2

reliable data.

With an integrated GPS, DLS 2 is our most accurate light sensor yet. With patented, cutting-edge technology, it provides more accurate and

Center Wavelengths

Blue 475 nm, Green 560 nm, Red 668 nm, Red edge 717 nm, Near infrared 842 nm, and Thermal 11 µm.

Storage


USB 3.0 compatible storage devices.

Radiometric Calibration

Thermal and multispectral sensors are radiometrically calibrated.

Altum Kit Comes With....

- Altum sensor.
- Lens cover.
- External storage device (USB 3.0) 128 GB.
- Calibrated Reflectance Panel 2.
- DLS 2 light sensor with integrated GPS.
- Camera and light sensor cables.
- Mounting screws.
- Hard carrying case.



SENSOR

ALTUM

ШĽ

(Re)defining agricultural drone imaging.

The ultimate solution for accuracy, flexibility, and power—everything you have come to expect from MicaSense. Altum produces aligned advanced analytics. Capture data on plant health, phenotype, and water stress in a single flight. Fly longer with high-capacity USB storage. Integration is simple with multiple interface options and embedded

Key Features

Applications include...

MicaSense[®] SENSORS

MicaSense Altum: Thermal, multispectral, and high-resolution imagery in one sensor.

- Calibrated thermal and multispectral outputs.
- USB 3.0 storage.
- Fast capture rate.
- Integrates with any drone that can carry it.


disease identification, and more!



• One sensor to do the job of three.

Capture data on plant health, phenotype, water stress and more using one already know—use multi-layered data so you can confront multifaceted issues.

Altum opens the door to advanced analytics for researchers and enterprise level growers, and empowers service providers to take on more complicated projects. Synchronized and calibrated outputs provide three times the information in just one flight, and dramatically reduces post-processing time.



More detail from 400 ft.

Altum's high-resolution imagers mean you don't need an extra RGB camera. Less gear and streamlined data capture ensure that you can spend more time analyzing your data and less time flying.



browse our Data Gallery

The MicaSense Altum captures six bands - red, green, blue, red edge, nearinfrared, and thermal. The capture of these bands happens at the same moment, making the data easier to align and use for analytics. Also, because there are six bands, data from Altum can be used to create anything from NDVI to digital surface models to thermal heat maps.

Singapore Main Office Telephone: +65 6996 0391 Email: info@simtrum.com

China Main Office Telephone: +86 15000853620 Email: sales@simtrum.cn

Synchronized thermal and multispectral imagery

SIMTRUM www.simtrum.com